



## Macon-Bibb County Government

Procurement Department  
Government Center Annex

700 Poplar Street, Suite 308

Macon, Georgia 31201

(478) 803-0550

Fax (478) 751-7252

December 3, 2015

### ADDENDUM 2

To: ALL PROSPECTIVE FIRMS

Re: INVITATION FOR BIDS: **16-015-DS Booker T. Washington Pool**

**The Invitation for Bids, referenced above, is modified as follows:**

1. Modified Bid Price Form.

Please incorporate this change into the Invitation for Bid and acknowledge receipt of this addendum on your bid form.

Sincerely,

*Desmond Schneider*

Procurement Officer I

**BID FORM**  
**BOOKER T. WASHINGTON POOL SURFACE PROJECT**

**TOTAL PRICE, FOB DESTINATION, DELIVERED TO:**  
**Macon-Bibb County Parks & Recreation**  
**Central City Park**  
**150 Willie Smokie Glover Drive**  
**Macon, GA 31201**

By submission of a signed bid, I hereby certify that my bid meets these minimum specifications. This bid shall be valid and may not be withdrawn for a period of sixty (60) calendar days after the scheduled closing time for receiving bids.

**A price must be provided for each line item in order for a bid to be considered.**

Description	Base Bid Price
<ul style="list-style-type: none"> <li>• Drain pool and remove debris if applicable.</li> <li>• Remove tile, strip off all existing plaster to solid gunite material, and haul away all debris.</li> <li>• Install waterline tile in color to match existing, if applicable or if tile is currently present.</li> <li>• Install tile depth markers per code in waterline and on deck, colors to match existing.</li> <li>• Install “No Diving” markers in deck, sized to code, to match existing.</li> <li>• Install non-slip break-line tile on pool floor at 4½ ft. depth, to match existing.</li> <li>• Install “black” tile racing lines to match existing.</li> <li>• Install 2” non-slip tile trim on top of entry steps to match existing, if applicable or if tile is currently present.</li> <li>• Drains to comply with the Virginia Graeme Baker Pool &amp; Spa Safety Act.</li> <li>• Reuse existing sets of recessed wall steps if applicable.</li> <li>• Reuse existing sets of ramps.</li> <li>• Clean all stainless steel handrails and bars using a nitrate cleaner.</li> <li>• Adjust all stainless steel handrails and bars to maintain proper height requirements per State Code and Americans with Disabilities Act.</li> <li>• Replace all pool hooks and bolts with stainless steel replacements.</li> <li>• Apply one coats of industry standard white plaster.</li> <li>• City to refill pool and adjust chemistry as directed by contractor.</li> <li>• Contractor to clean out plaster debris, brush/maintain new finish as</li> </ul>	

<p>necessary to facilitate smooth blemish-free finish, for a minimum of one week or until all “dust” is removed.</p> <ul style="list-style-type: none"> <li>• Contractor to procure all necessary City and County permits.</li> <li>• Provide samples of finished material with bid documents to demonstrate color, finish texture, adhesion, non-slip qualities, and thickness of materials.</li> </ul>	
\$	

**ADD/DELETE OPTIONS:**

<p><b><u>PUMP/MOTOR:</u></b>          Replace all pumps and motors at the pool with new unit of similar or better quality than presently installed.</p> <p>Old pumps and motors are to remain the property of Macon-Bibb County.</p> <p>Replace all flange valves throughout each pump system with similar or better quality than presently installed.</p> <p>Replace sand filters with new units of similar or better quality than presently installed.</p>	\$
<p><b><u>PURSHACS AND INSTALLATION OF ADA CHAIR:</u></b>          The swimming pool will need to have one (1) chair lifts installed at the pool. Chair installation location to be determined by the County.</p> <ul style="list-style-type: none"> <li>• Chair lifts will include the following specs: ADA Compliant Pool Lift             <ul style="list-style-type: none"> <li>• Stainless Steel Construction; Powder Coat Finish; 400 lb. Lift Capacity; Battery Powered 24-Volt System; User-Friendly Controls; Lifetime Structural Warranty; Arm Rests; Foot Rest; Safety Seat Belt; UV Resistant; Includes Battery Charging Station; Sleeve Anchor System; Rotates both right and left by 90-degrees; Designed to extend up to 35 inches over a gutter; From deck height, this unit will clear up to an 18-inch obstacle; Concrete Anchor Sleeve</li> </ul> </li> </ul>	\$
<p><b><u>SPECIAL REQUEST: FILL IN DEEP END OF POOL</u></b>          The deep-end will be filled in to a depth of approximately 7'. The five-foot depth will match the present depth of the lap pool leading up to the diving well. Since the diving board has been removed, there is no longer a need for the diving well. All drains and depth signage should match accordingly.</p>	\$

Responsible for the grass: The Macon-Bibb County Government will be responsible for the grass.