

*** Custom Turnout Coat - 2016 ***

Coat Model / Design**V-Force® Coat**

Janesville® V-Force® Coat

Coat Model / Design**CVFM/F**

MALE 29" (CVFM-29), 30.5" (CVFM-305), 32" (CVFM-32), 33.5" (CVFM-335) & 35" (CVFM-35); FEMALE 29" (CVFF-29) & 32" (CVFF-32)

Coat Liner & Moisture Barrier**K7 - Traditional**

Traditional Liner, Glide™ face cloth quilted to 2.3 oz NOMEX®/Kevlar® spunlace & 1.5 oz AraFlo® Dri, CROSSTECH® BLACK (Type 2F) PTFE/Nomex® Pajama Check laminated membrane

Coat Inner Yoke Reinforcement**LYR225**

(Std) Semper Dri® front and back yokes sewn to coat thermal liners. (RM1377-059) (V-Force)

Coat Water Well**CLW209**

(Std) Chambray DWR 2-Layer NOMEX®/Kevlar® spunlace quilt/pajama check crosstech with 1" elastic wrist shield. W-well with 3/4" loop, male snap, sewn to coat liner sleeves.

Coat Wristlets**CLW753**

(Std) 8" isodri® over the hand- KEVLAR® / NOMEX® / Spandex® construction

Liner Pocket**CLP702**

8.5x9" Black outer shell coat liner pocket.

Item Location for Above

Liner Right

Liner Pocket**CLP18**

7x9" black outer shell coat liner pocket with flap and 1x1" hook and loop closure

Item Location for Above

Liner Left

Coat Outer Shell Material**Armor AP**

Armor AP, 6.5 oz, KHAKI

Reflective Trim**CT224-PTY**

3" NYC Yellow Ventilated Triple Trim for V-Force

Drag Rescue Device**BHS020**

(Std) DRD: Firefighter Recovery Harness with 2" welt and 5.25x2.25" flap with rounded corners. 1 piece 1x2" loop for harness storage. 2 pieces 1x2" loop on shell flap closure, 2 pieces 1x2" hook on flap. 1 piece 1.5x2" hook on harness. 1 piece 2x2" loop underneath chest trim for harness storage, 1 pair 1x3.5" self-fabric straps with 1x2" hook and loop.

Coat Shell Attachment**CSA709**

(Std) 1x2" Self Fabric strap w/ 1 end sewn to coat shell & opposite end loose w/ 1 female non-logo snap, 1 male snap on liner centered at bottom rear panel to align w/ the female snap. (Cannot be used on coat where liner is 3" from shell). (Standard on V-Force)

Coat Collar**CR236**

(Std) 3" split self fabric collar with CROSSTECH® PJ lined. 2 pieces 1x3" hook on each end inside and two pieces 1" hook set 1/2" from center along top edge for liner attachment. 1.5x4" hook&loop for front closure. V-Fit

Collar Flashing**CLF221**

(Std) 3" Self fabric, PJ CROSSTECH lined split collar with 2 pieces .75x3" loop on moisture barrier, multiple pieces .75x2" loop to edge for attachment to shell. Use with CR236 & CR237

Liner Inspection System**CLO208**

(Std) Coat liner inspection system located at center right front of liner, with 1x4" loop. V-Fit coats

MISC. Fasteners**MF020**

(Std) 1.5x3" hook sewn to right front shell for the Coat Liner Inspection System - V-Fit

Coat Cuff Reinforcement**CC710**

(Std.) Self-Fabric Cuff Reinforcements

Coat Elbow Reinforcement**EB515**

Contoured Self-Fabric elbow patch w/ 1 layer Lite-N-Dri padding. V-Fit

Coat Shoulder Reinforcement**SC711**

Self fabric shoulder caps w/ GIC E-88 foam padding

Coat Closure System**SF234**

5" Stormflap (square corners) w/2 layers Self-Fabric & Gore RT7100 PTFE, hook & dee in, 2" hook & 2" loop out (hook & 4 d-rings on coat front, loop on stormflap & 4-701's on stormflap side) - V-Fit Design "Chicago" Closure

Snap Attachment**SAC702**

Snap attachment coat-3 female nonlogo snaps & 3 male snaps between hidden hook and dees.

Coat Pockets**Turn-Out Pockets****CPP565**

(2) 10x10" Coat patch pocket w/ KEVLAR® twill fullt lined inside on pocket & 3" up inside on shell, 1pc. 1.5x3" loop on pocket & 1pc. 1.5x3"

hook on flap.....for 29" coats use CPP573.

Item Location for Above

Front bottom- Left & Right

Turn-Out Pockets

RP798

3.5"x8"x2" radio pocket with poly cotton lined all 3 sides insides pocket and flap, 1 piece 2x3" loop on pocket and 1 piece 2x3" hook on flap. Antenna notch on both sides of flap.

Item Location for Above

Chest Left

Strap

FLS578

3x10" Self-Material Air Mask Strap with 2x3" hook and loop bartacked to coat.

Item Location for Above

Right Chest

Lettering Patches

LP1

4" x 18" 1 line letter patch for back yoke.

Lettering Patch Attachment

LPSP

The Letter Patch shall be sewn directly to Coat.

Location for Patch

Across yoke

Sewn On Lettering

LTSL3YNS

Sewn On 3" Lime/Yellow 3M™ Scotchlite™ Letters (each line) 6 - 12 Alpha Numeric Name Characters

Lettering

Lettering to read - MACON-BIBB

Location for Lettering

On above patch (LP1)

Hanger Loop

HL02

(Std) 5/8" x 5 1/2" Self fabric hangerloop.

*** Custom Turnout Pants - 2016 ***

--- INCLUDES SUSPENDERS ---

Pant Model / Design

PVLM/F

V-Force® Lumbar Pant

Pant Liner & Moisture Barrier**K7 - Traditional**

Traditional Liner, Glide™ face cloth quilted to 2.3 oz NOMEX®/Kevlar® spunlace & 1.5 oz AraFlo® Dri, CROSSTECH® BLACK (Type 2F) PTFE/Nomex® Pajama Check laminated membrane

Liner Inspection System**PLO200**

(Std) Pant liner inspection system with 1x3" loop located at right side of liner waist.

MISC. Fasteners**MF018**

(Std) 1x3" hook sewn to right shell front for the pant liner inspection system.

Pant Outer Shell Material**Armor AP**

Armor AP, 6.5 oz, KHAKI

Belts and Harnesses**BHS009**

Lumbar support system with 7x10" KEVLAR® twill reinforcement and lumbar warranty hangtag.

Pant Fly Closure**FLY228**

(Std) Sewn on pant FLY with PJ CROSSTECH®, closure thermo plastic zipper inside with 1.5" hook & loop, 3/4" hook underneath PJ CROSSTECH for liner attachment. - V-Fit Lumbar Pant

Take Up Straps**TUP506**

(Std) 1 pair 1/2" x 8 1/2" self fabric postman take-up straps, 2 bartacks each strap and 5/8" postman slides.

Leg Tabs**LGT000-GLD**

(Std) 2 Gold Leather leg tabs per leg with non-logo female snaps.

Pant Knee Reinforcement**KP214-GLD**

Gold Poly coated aramid contoured knees with 2 layers GIC E-88 foam padding V-Fit.

Pant Cuff Reinforcement**PC500A**

(Std) Self fabric pant cuffs and 3x3.5" kick shield.

Pant Pockets**Turn-Out Pockets****FBP574**

8x8x2" Full bellow pocket w/ KEVLAR® twill fully lined all 3 sides inside pocket & 3" up inside on shell, 1 pc. 1.5x8" loop on pocket & 2 pcs. 1.5x2.75" hook on flap, boxed flap.

Item Location for Above

Thigh Left

Turn-Out Pockets**FBP1002**

9x10x2" Full Bellow Pocket w/ KEVLAR® lined all 4 sides, (2) add layer of outer shell fabric lined with KEVLAR® on shell side inside pocket, first layer 6.5" high, second layer 4.5" high, both layers stitched in 3" increments to create 6 comp, 1 pc. 2x9" loop on pocket, 3 pcs 1.5x3" hook on flap.

--- USE FBP1042 ON SMALLER SIZES.

Item Location for Above

Thigh Right

Reflective Trim

PTC4PT3Y

3" Lime/Yellow Ventilated Triple Trim Reflective trim around leg bottoms-4 rows lockstitch.

Suspenders

SB342

42" (Regular) EZH H-Back Quick Adjust Non-Stretch Suspenders w/ metal loop, Black; APPLIES TO ALL AVAILABLE LENGTHS.