# CONTRACT DOCUMENTS FOR:

# MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION **VICINITY MAP:**

2178 FLIGHTLINE AVE MACON, GEORGIA 31216 MARCH 1, 2024

#### **DRAWING INDEX:**


SYMBOLS & NOTES

#### **ARCHITECTURAL**


SITE DEMOLITION PLAN FIRST FLOOR DEMOLITION PLAN - FBO BUILDING SECOND FLOOR DEMOLITION PLAN - FBO BUILDING DEMOLITION ELEVATIONS - FBO BUILDING PHOTOS - FBO BUILDING PHOTOS - FBO BUILDING DEMOLITION PLAN - AVIANCE BUILDING DEMOLITION ELEVATIONS - AVIANCE BUILDING

> PHOTOS - AVIANCE BUILDING PHOTOS - AVIANCE BUILDING

SECURITY FENCING



## LOCATION MAP





MACON-BIBB COUNTY 700 POPULAR ST MACON, GA 31201



MACON-BIBB AVIATION DEPT. 1000 TERMINAL DRIVE, SUITE 100 MACON, GA 31216

**ARCHITECTURAL**: architecture engineering 4730 CASA COLA WAY, SUITE 200 (904) 757-6106 ST. AUGUSTINE, FL 32095

BID SET PA PROJECT NO.: 20202946.0010

## **GENERAL NOTES:**

- THE PLANS ARE BASED UPON INFORMATION FURNISHED TO THE ARCHITECT BY THE OWNER, CONSISTING OF DRAWINGS PREPARED BY OTHERS, THESE PLANS HAVE BEEN MODIFIED TO REFLECT ACTUAL CONDITIONS BASED ON LIMITED FIELD OBSERVATIONS. TO THE BEST OF THE ARCHITECT'S KNOWLEDGE AND BELIEF, THE INFORMATION ON THESE DRAWINGS IS BELIEVED TO BE ACCURATE. THE ARCHITECT DOES NOT GUARANTEE ITS ACCURACY.
- 2. THE CONTRACTOR SHALL VISIT THE JOB SITE TO FAMILIARIZE THEMSELVES WITH EXISTING CONDITIONS. THEY SHALL IMMEDIATELY NOTIFY THE ARCHITECT, IN WRITING, IF ANY DISCREPANCIES OR INCONSISTENCIES EXIST. FAILURE TO VERIFY THE EXISTING CONDITIONS SHALL NOT RELIEVE THE CONTRACTOR OF ANY EXPENSES OR RESPONSIBILITIES RESULTING FROM
- WHERE CONCRETE SLABS, WALL PARTITIONS AND OTHER SURFACES ARE TO BE REMOVED, SURFACES THAT ARE TO REMAIN SHALL BE REPAIRED AND PATCHED. THE CONTRACTOR SHALL PREPARE EXISTING CONDITIONS TO RECEIVE NEW WORK AND MATCH EXISTING ADJACENT SURFACES.
- 4. ANY DISRUPTION IN THE CONTINUITY OF EXISTING UTILITY LINES WITHIN THE FACILITIES SITE SHALL BE COORDINATED WITH OWNER, GIVING 72 HOURS NOTICE PRIOR TO ANY DISRUPTION AND SHALL BE RESTORED IMMEDIATELY.
- GENERAL CONTRACTOR AND SUBCONTRACTORS SHALL COMPLETE ALL WORK IN ACCORDANCE WITH THE REQUIREMENTS OF APPLICABLE LAWS, CODES, REGULATIONS, SAFETY STANDARDS.
- 6. THIS CONTRACT REQUIRES COMPLETE, FINISHED WORKABLE PROJECT OF THE AREAS INDICATED BY THE CONTRACT DOCUMENTS, AND SHALL INCLUDE ALL MATERIALS AND LABOR NECESSARY TO COMPLETE SAME, REGARDLESS OF WHETHER OR NOT EACH AND EVERY NECESSARY WORK OR ITEM IS SPECIFICALLY INDICATED ON ANY OTHER PORTION OF THE DRAWING AND/OR NOTES.
- 7. CONTRACTOR SHALL COORDINATE STAGING AREAS WITH OWNER.
- 8. THE CONTRACTOR SHALL MAINTAIN A SAFE ENVIRONMENT DURING ALL PHASES OF CONSTRUCTION.
- 9. THE CONTRACTOR SHALL CLEAR THE PROJECT SITE OF ALL TRASH, RUBBISH AND DEBRIS DAILY. DISPOSE OF ALL WASTE MATERIAL IN A LEGAL MANNER. CONTRACTOR SHALL SUPPLY HIS OWN DUMPSTER AT LOCATION AS DIRECTED BY OWNER.
- 10. THE CONTRACTOR SHALL MAINTAIN THE INTEGRITY OF OTHER SYSTEMS INSIDE THE SCOPE OF WORK DURING CONSTRUCTION.
- 11. DUE TO THE NATURE OF WORK INVOLVED IN DEMOLITION, UNFORESEEABLE CONDITIONS MAY ARISE DURING CONSTRUCTION, ANY UNFORESEEN CONDITION THAT AFFECTS THE PROGRESS OF THE WORK SHALL BE REPORTED IMMEDIATELY TO THE ARCHITECT FOR REVIEW.
- 12. ANY EXISTING EQUIPMENT OR BUILDING COMPONENTS NOT TO BE REUSED MUST BE COMPLETELY REMOVED AND DISPOSED OF PROPERLY.
- 13. NO ANIMALS ALLOWED ON THE JOB SITE.

## **GENERAL DEMOLITION NOTES:**

- 1. CONTRACTOR SHALL PROVIDE HIS OWN DUMPSTER FOR TRASH REMOVAL FROM ALL TRADES AND ALL WORK RELATING TO THIS PROJECT. THE CONTRACTOR SHALL NOT BE ALLOWED TO USE EXISTING DUMPSTER ON SITE, DEMOLITION DEBRIS SHALL BE DISPOSED STRICTLY IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL AUTHORITIES REQUIREMENTS.
- 2. DO NOT SAW CUT INTO OR REMOVE STRUCTURAL WALLS, COLUMNS AND BEAMS. EXPOSE ALL STRUCTURAL LOAD BEARING CONDITIONS FOR ARCHITECT'S OBSERVATION.
- 3. IF DURING DEMOLITION, THE EXISTING STRUCTURE IS FOUND TO CONTAIN ASBESTOS OR LEAD, IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COMPLY WITH THE PROVISIONS OF STATUTE OCGA 12-12-1 GEORGIA STATUTES AND TO NOTIFY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THEIR INTENTIONS TO REMOVE ASBESTOS AND/OR LEAD, WHEN APPLICABLE, AND IN ACCORDANCE WITH STATE AND FEDERAL LAW.
- 4. CONTRACTOR SHALL OBTAIN ALL NECESSARY APPROVALS AND/OR PERMITS BEFORE COMMENCING WORK FROM PROPER AUTHORITIES HAVING JURISDICTION.
- 5. THE DEMOLITION PLANS ARE GENERAL IN NATURE AND DO NOT ATTEMPT TO INDICATE SMALLER INDIVIDUAL ITEMS WHICH MAY ALSO NEED TO BE REMOVED. THEREFORE, THE CONTRACTOR SHALL VISIT THE SITE TO DETERMINE WHETHER SUCH NON-SPECIFIED ITEMS EXIST AND ARE TO BE REMOVED TO ACHIEVE THE OVERALL INTENT. CONTRACTOR SHALL VERIFY EXISTING CONDITIONS INCLUDING STRUCTURAL, MECHANICAL, ELECTRICAL, AND PLUMBING, AND REPORT ANY DISCREPANCIES TO
- 6. DURING DEMOLITION THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE SAFE STABILITY OF THE STRUCTURE UNTIL THE OPERATION IS COMPLETE. ANY OBSERVATION BY THE ARCHITECT DOES NOT RELIEVE THE CONTRACTOR FROM HIS RESPONSIBILITY TO PROVIDE FOR SAFETY AND PROTECTION OF PERSONS AND PROPERTY.
- 7. PROTECT ALL EXISTING AREAS AND/OR ITEMS NOT INCLUDED FOR DEMOLITION FROM DUST AND DAMAGE, BY USE OF WATER MISTING, TEMPORARY ENCLOSURES OR OTHER SUITABLE METHODS, ANY DAMAGE OCCURRING DURING DEMOLITION SHALL BE FIXED OR REPLACED BY THE CONTRACTOR TO THE SATISFACTION OF THE ARCHITECT, TO MATCH EXISTING AT NO ADDITIONAL COST TO THE OWNER.
- 8. CONTRACTOR IS ADVISED THAT THERE MAY BE CONCEALED PIPELINES, ELECTRICAL, TELEPHONE, CABLE WIRES, COLUMNS, BEAMS OR OTHER STRUCTURAL, MECHANICAL, ELECTRICAL, PLUMBING ITEMS, ETC. ALTHOUGH THE DOCUMENTS PRODUCED BY THE ARCHITECT AND ENGINEERS ARE BELIEVED TO BE SUBSTANTIALLY CORRECT. THE ARCHITECT, ENGINEERS AND OWNER DO NOT GUARANTEE THE LOCATION OR EXISTENCE OR CONDITION OF ANY CONCEALED ITEMS. CONTRACTOR MUST PROCEED WITH CAUTION DURING DEMOLITION AND MUST MAKE THEIR OWN DETERMINATION, MEASUREMENTS AND EVALUATION OF THE WORKING CONDITION OF EXISTING CONCEALED ITEMS. ANY ENVIRONMENTALLY SENSITIVE MATERIAL, ENCOUNTERED DURING DEMOLITION SHALL BE REPORTED IN WRITING TO OWNER AND DISPOSED OF IN ACCORDANCE WITH STATE AND FEDERAL REGULATIONS.
- PRIOR TO DEMOLITION THE CONTRACTOR SHALL WALK THE SITE AND PROVIDE A WRITTEN LIST, PHOTOGRAPHS AND/OR VIDEOTAPES OF ANY DAMAGE TO EXISTING FINISHES, MISSING EQUIPMENT, NON-OPERABLE EQUIPMENT, ANY WATER DAMAGE, ETC.

## FIRE PROTECTION DURING CONSTRUCTION:

FIRE PROTECTION DURING CONSTRUCTION:

- FIRE PROTECTION DURING CONSTRUCTION GEORGIA BUILDING CODE 2018 INTERNATIONAL FIRE CODE:
- A. STRUCTURES UNDERGOING CONSTRUCTION, ALTERATION, OR DEMOLITION OPERATIONS, INCLUDING THOSE IN UNDERGROUND LOCATIONS, SHALL COMPLY WITH NFPA 241, STANDARD FOR SAFEGUARDING CONSTRUCTION, ALTERATION, AND DEMOLITION OPERATIONS, AND CHAPTER 33 OF THE INTERNATIONAL BUILDING CODE.
- B. THE SUITABILITY, DISRUPTION, AND MAINTENANCE OF EXTINGUISHERS SHALL BE IN ACCORDANCE WITH NFPA 10 AND SECTION 3315. [241:4.10.1]
- C. AT LEAST ONE APPROVED FIRE EXTINGUISHER ALSO SHALL BE PROVIDED IN PLAIN SIGHT ON EACH FLOOR AT EACH USABLE STAIRWAY AS
- SOON AS SIGNIFICANT COMBUSTIBLE MATERIAL IS PRESENT. [241:4.10.4]
- D. SUITABLE FIRE EXTINGUISHERS SHALL BE PROVIDED ON SELF-PROPELLED EQUIPMENT. [241:4.10.5] FREE ACCESS TO PERMANENT, TEMPORARY, OR PORTABLE FIRST-AID FIRE EQUIPMENT SHALL BE MAINTAINED AT ALL TIMES [241:4.10.6]
- A WATER SUPPLY FOR FIRE PROTECTION, EITHER TEMPORARY OR PERMANENT, SHALL BE MADE AVAILABLE AS SOON AS SIGNIFICANT COMBUSTIBLE MATERIAL IS PRESENT. [241:6.3.1]
- FLAMMABLE AND COMBUSTIBLE LIQUIDS AND FLAMMABLE GASES GEORGIA BUILDING CODE 2018 INTERNATIONAL FIRE CODE: A. STORAGE OF FLAMMABLE AND COMBUSTIBLE LIQUIDS SHALL BE IN ACCORDANCE WITH CHAPTER 30, UNLESS OTHERWISE MODIFIED BY
- THIS SECTION. [241:7.8.1.1] B. STORAGE OF CLASS I AND CLASS II LIQUIDS SHALL NOT EXCEED 60 GAL. (227 L) WITHIN 50 FT (15 M) OF THE STRUCTURE. [241:7.8.1.2]
- C. STORAGE AREAS SHALL BE KEPT FREE OF WEEDS, DEBRIS, AND COMBUSTIBLE MATERIAL NOT NECESSARY TO THE STORAGE. [241:7.8.1.3] OPEN FLAMES AND SMOKING SHALL NOT BE PERMITTED IN FLAMMABLE AND COMBUSTIBLE LIQUIDS STORAGE AREAS. [241:7.8.1.4]
- SUCH STORAGE AREAS SHALL BE APPROPRIATELY POSTED AS "NO SMOKING" AREAS. [241:7.8.1.5]

CONC CONCRETE

- STORAGE AREAS SHALL BE APPROPRIATELY POSTED AS "NO SMOKING" AREAS. [242:7.8.1.6] G. CLASS I AND CLASS II LIQUIDS SHALL BE KEPT IN APPROVED SAFETY CONTAINERS. [241:7.8.2.2]
- H. CLASS I LIQUIDS SHALL BE DISPENSED ONLY WHERE THERE ARE NO OPEN FLAMES OR OTHER SOURCES OF IGNITION WITHIN THE POSSIBLE PATH OF VAPOR TRAVEL. [241:7.8.2.4]

## **BIDDERS GENERAL NOTES:**

- 1. BIDDERS SHALL REVIEW DOCUMENTS INDEX AND VERIFY THAT THEY HAVE RECEIVED ALL COPIES OF ALL DOCUMENTS. DO NOT BID THE
- BIDDERS SHALL PROMPTLY NOTIFY THE ARCHITECT/ENGINEER IN WRITING OF ANY AMBIGUITY, INCONSISTENCY, OR ERRORS WHICH THEY MAY DISCOVER UPON EXAMINATION OF THE BIDDING DOCUMENTS. DO NOT BID OR PROCEED IN AREAS OF DISCREPANCIES UNTIL ALL
- 3. PRIOR TO SUBMITTING BIDS, THE CONTRACTOR SHALL VISIT THE JOB SITE TO FAMILIARIZE THEMSELVES WITH EXISTING CONDITIONS. THEY SHALL IMMEDIATELY NOTIFY THE ARCHITECT/ENGINEER, IN WRITING, OF ANY DISCREPANCIES OR INCONSISTENCIES EXISTING. FAILURE TO VERIFY THE EXISTING CONDITIONS SHALL NOT RELIEVE THE CONTRACTOR OF ANY EXPENSES OR RESPONSIBILITIES RESULTING FROM THAT
- 4. THE CONTRACTOR SHALL INCLUDE IN THEIR BID ALL COSTS ASSOCIATED WITH MATERIAL, HANDLING, STORAGE, AND DELIVERY,

- PROJECT OR COMMENCE CONSTRUCTION WITHOUT HAVING A COMPLETE SET OF DOCUMENTS.

- FAILURE.

- SUCH DISCREPANCIES ARE FULLY RESOLVED.

# **ABBREVIATIONS**

ABOVE FINISH FLOOR

AD	ACCESS DOOR		CMU	CONCRETE MASONRY UN
ACT	ACOUSTICAL TILE		CONSTR	CONSTRUCTION
ADD	ADDENDUM		CLL	CONTACT LIMIT LINE
ADJ	ADJACENT		CONT	CONTINUOS
A/C	AIR CONDITIONING		CNTOR	CONTRACTOR
ALT	ALTERNATE		CJ	CONTROL JOINT
ALUM	ALUMINUM		CG	CORNER GUARD
AB	ANCHOR BOLT		CNTR	COUNTER
APPROX	APPROXIMATE		CS	COUNTER SINK
ARCH	ARCHITECTURAL		CRS	COURSE
ATTN	ATTENUATION		DEMO	DEMOLISH
AUTO	AUTOMATIC		DET	DETAIL
ВМ	BEAM		DIAG	DIAGONAL
BRG	BEARING		DIA	DIAMETER
BIT	BITUMINOUS		DIM	DIMENSION
BLK	BLOCK		DO	DITTO
BLKG	BLOCKING		DR	DOOR
BD	BOARD		DBL	DOUBLE
BOT	ВОТТОМ		DN	DOWN
BRK	BRICK		DWG	DRAWING
ВС	BRICK COURSE		EA	EACH
BEJ	BRICK EXPANS, JOINT		EWC	ELECTRIC WATER COOLER
BLDG	BUILDING		ELEC	ELECTRICAL
BUR	BUILT-UP ROOFING		EL	ELEVATION
CAB	CABINET		ELEV	ELEVATOR
CH	CABINET HEATER		EMERG	EMERGENCY
CSW	CASEWORK		ENCL	ENCLOSURE
CLG	CEILING		EQ	EQUAL
CTR	CENTER		EQUIP	EQUIPMENT
C/L	CENTER LINE		EO	EQUIPMENT BY OWNER
CMT	CERAMIC MOSAIC TILE		EXF	EXHAUST FAN
CT	CERAMIC TILE		EXIST	EXISTING
CLR	CLEAR		EATD	EXIT ACCESS TRAVEL
CW	COLD WATER			DISTANCE
COL	COLUMN		EXP	EXPANSION

EXPJ	EXPANSION JOINT		
EXPD	EXPOSED		
EXTN	EXTENSION		
EXT	EXTERIOR		
FACT	FACTORY		
FCU	FAN COIL UNIT		
FIN	FINISHED		
FA	FIRE ALARM		
FE	FIRE EXTINGUISHER		
FP	FIRE PROOFING		
FR	FIRE RESISTANT		
FLR	FLOOR		
FD	FLOOR DRAIN		
FL	FLUSH		
FT	FOOT		
FTG	FOOTING		
FDTN	FOUNDATION		
FO	FRAME OPENING		
FBC	FURNISHED BY		
	CONTRACTOR		
FBO	FURNISHED BY OWNER		
FUR	FURRING		
GA	GAGE		
GALV	GALVANIZED		
GC	GENERAL CONTRACTOR		
GL	GLASS		
GB	GRAB BAR		
GWB	GYPSUM WALL BOARD		
HDCP	HANDICAP		
HDW	HARDWARE		
HDWD	HARDWOOD		
HTR	HEATER		
HTG	HEATING		
HVAC HEATING, VENTILATION A CONDITIONING			
HGT	HEIGHT		

HM	HOLLOW METAL		
ID	INSIDE DIAMETER		
IBC	INSTALLED BY CONTRACTO		
INS. GL	INSULATED GLASS		
INSUL	INSULATION		
INT	INTERIOR		
INV	INVERT		
JAN	JANITOR		
JT	JOINT		
LAM	LAMINATED		
LAV	LAVATORY		
LH	LEFT HAND		
LCT	LENGHT		
LGT	LIGHT		
LTWT	LIGHT WEIGHT		
LF	LINEAR FEET		
LL	LIVE LOAD		
LOC	LOCATION		
LLH	LONG LEG HORIZONTAL		
LLV	LONG LEG VERTICAL		
LP	LOW POINT		
MH	MANHOLE		
MFR	MANUFACTURER		
MAS	MASONRY		
МО	MASONRY OPENING		
MATL	MATERIAL		
MAX	MAXIMUM		
MECH	MECHANICAL		
MTP	METAL TOILET PARTITION		
MTL/S	METALS		
MIN	MINIMUM		
MISC	MISCELLANEOUS		
MOD	MODULAR		
MHP	MOP HOPPER		
NAT	NATURAL		

NRC	NOISE REDUCTION		
NOM	COEFICIENT		
NOM	NOMINAL NOT IN CONTRACT		
NIC	NOT IN CONTRACT		
NTS "	NOT TO SCALE		
NO, #	NUMBER		
OC	ON CENTER		
OPNG	OPENING		
OPP	OPPOSITE		
OPH	OPPOSITE HAND		
OD	OUTSIDE DIAMETER		
OA	OVERALL		
OH	OVERHEAD		
PNT	PAINTED		
PN	PANEL		
PBD	PARTICAL BOARD		
PLAS	PLASTER		
PLAM	PLASTIC LAMINATE		
PLGL	PLATE GLASS		
PLUB	PLUMBING		
PLYWD	PLYWOOD		
POL	POLISHED		
PPGL	POLISHED PLATE GLASS		
PVP	POLYVINYL CHLORIDE		
PCF	POUNDS PER CUBIC FEET		
PLF	POUNDS PER LINEAR FEET		
PSF	POUNDS PER SQUARE FEET		
PSL	POUNDS PER SQUARE INCH		
PCP	PRECAST CONCRETE PANEL		
PREFAB	PREFABRICATED		
PREF	PREFINISHED		
PR	PRIMED		
PROJ	PROJECTION		
PL	PROPERTY LINE		
PT/S	PT/S		
QTY	QUANTITY		

RAD	RADIUS		
RWL	RAIN WATER LEADER		
RECPT	RECEPTACLE (ELECTRIC)		
REF	REINFORCE (D) (ING)		
RCP	REINFORCE CONCRETE PIPE		
REQD	REQUIRED		
RESIL	RESILIENT		
RET	RETURN		
RA	RETURN AIR		
REV	REVISION, REVISED		
RH	RIGHT HAND		
RW	RIGHT OF WAY		
R	RISER		
RD	ROOF DRAIN		
RM	ROOM		
RO	ROUGHT OPENING		
SECT	SECTION		
SS	SERVICE SINK		
SHT	SHEET		
SIM	SIMILAR		
SPKR	SPEAKER		
SPEC	SPECIFICATIONS		
SQ	SQUARE		
SST	STAINLESS STEEL		
SP	STAND PIPE		
STD	STANDARD		
STL	STEEL		
SD	STORM DRAIN		
STORM	STORM SEWER		
STRUCTL	STRUCTURAL		
SGT	STRUCTURAL GLAZED TILE		
SUSP	SUSPENDED		
SW	SWITCH		
SWBD	SWITCHBOARD		

SYMMETRICAL

TACKBOARD

TV	TELEVISION
TEMP	TEMPERATURE, TEMPORARY
TEMPGL	TEMPERED GLASS
TEX	TEXTURE
THK	THICKNESS
TOIL	TOILET
T&G	TONGUE AND GROOVE
TOS	TOP OF STEEL
TOW	TOP OF WALL
TYP	TYPICAL
UC	UNDERCUT
UG	UNDERGROUND
UH	UNIT HEATER
UV	UNIT VENTILATOR
UR	URINAL
VTR	VENT THROUGH ROOF
VENT	VENTILATOR
VIF	VERIFY IN FIELD
VERT	VERTICAL
VEST	VESTIBULE
VCT	VINYL COMPOSITION TILE
VWC	VINYL WALL COVERING
WSCT	WAINSCOT
WC	WATER CLOSET
WR	WATER REPELLANT
WS	WEATHER STRIP
WGT	WEIGHT
WWF	WELDED WIRE FABRIC
WGL	WIRE GLASS
W/O	WITHOUT
WD	WOOD
YD	YARD

TELEPHONE

## MATERIALS SYMBOLS

ARCHITECTURAL ROOF

SHINGLES

WOOD, FINISHED

CERAMIC TILE (ELEV)

SPRAY FIREPROOF

SAND/MORTAR

PLASTER(SECT.)

CONCRETE BLK.

RIGID INSUL.

EIFS (ELEV.)

**GLASS BLOCK** 

ARCHITECT'S CERTIFICATION

**BUILDING NOTES DURING CONSTRUCTION:** 

ENFORCING THIS ON THE CONTRACTOR.

APPLICABLE REQUIREMENTS OF THE GEORGIA BUILDING CODE - 2018 "INTERNATIONAL BUILDING CODE".

THE ARCHITECT CERTIFIES TO THE BEST OF THEIR KNOWLEDGE AND BELIEF, THE PLANS AND SPECIFICATIONS ARE IN ACCORDANCE WITH THE


CONTRACTOR SHALL FOLLOW THE GEORGIA BUILDING CODE - 2018 INTERNATIONAL BUILDING CODE. THEY SHALL COMPLY WITH CHAPTER 33


"SAFEGUARDS DURING CONSTRUCTION" OF GEORGIA BUILDING CODE - 2018 INTERNATIONAL BUILDING CODE. THIS SECTION COVERS SAFETY DURING CONSTRUCTION AND THE PROTECTION OF ADJACENT PUBLIC AND PRIVATE PROPERTIES. THE ARCHITECT IS NOT RESPONSIBLE FOR


PLASTER/PLAS BD.


WOOD BLOCKING


(AROUND MEMBER)











# **BID SET**

architecture engineering

MACON-BIBB COUNTY 700 POPULAR ST MACON, GA 31201



### Passero Associates 4730 CASA COLA WAY, SUITE 200

PROJECT MANAGER

DES	DESIGNER DESIGNER		KATIE KMIECIK, ASSOC. AIA STEPHANIE ROBERTS, ASSOC. AIA
NO.	DATE	BY	DESCRIPTION

AUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION O ATUTES 471.033(1). THESE PLANS ARE COPYRIGHT

SYMBOLS & NOTES


## 2178 FLIGHTLINE AVE


MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION

COUNTY: BIBB STATE: GA

20202946.0010

G-001





#### **DEMOLITION SCOPE:**

THE EXISTING CONDITION / DEMOLITION DRAWINGS ARE INTENDED AS A GENERAL GUIDE TO THE DEMOLITION REQUIRED FOR THIS PROJECT. DEMOLITION IS NOT SHOWN IN COMPLETE DETAIL AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REMOVE EXISTING CONSTRUCTION AS REQUIRED TO ACCOMPLISH THE DESIGN INTENT FOR THE WORK SHOWN AND REASONABLY IMPLIED FOR THE PROJECT.

#### **GENERAL CONDITIONS:**

- VISIT THE JOB SITE TO VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO BEGINNING ANY WORK. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING THE WORK.
- QUESTIONABLE ITEMS, INCLUDING BUT NOT LIMITED TO FOUND / UNKNOWN CONDITIONS AND ITEMS NOT SHOWN / LISTED IN THE CONTRACT DOCUMENTS, SHALL BE COORDINATED WITH THE ARCHITECT BEFORE REMOVING.

#### **DEMOTION PLAN GENERAL NOTES:**

OWNER HAS FIRST RIGHT OF REFUSAL



**BID SET** 

CLIENT: MACON-BIBB COUNTY 700 POPULAR ST MACON, GA 31201



## Passero Associates

4730 CASA COLA WAY, SUITE 200 ST. AUGUSTINE, FL 32095

PROJECT MANAGER PROJECT ARCHITECT DESIGNER DESIGNER

STAN PRICE, PE CHRISTOPHER NARDONE, AIA KATIE KMIECIK, ASSOC. AIA STEPHANIE ROBERTS, ASSOC, AIA NO. DATE BY DESCRIPTION

AUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION OF LORIDA ADMINISTRATIVE CODE 61G15-27-001 AND FLORIDA TATUTES 471.033(1). THESE PLANS ARE COPYRIGHT

FIRST FLOOR DEMOLITION PLAN FBO BUILDING 2178 FLIGHTLINE AVE

> MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION


> > TOWN/CITY: MACON

COUNTY: BIBB

20202946.0010

STATE: GA

AD-101



3/16" = 1'-0"

#### **DEMOLITION SCOPE:**

THE EXISTING CONDITION / DEMOLITION DRAWINGS ARE INTENDED AS A GENERAL GUIDE TO THE DEMOLITION REQUIRED FOR THIS PROJECT. DEMOLITION IS NOT SHOWN IN COMPLETE DETAIL AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REMOVE EXISTING CONSTRUCTION AS REQUIRED TO ACCOMPLISH THE DESIGN INTENT FOR THE WORK SHOWN AND REASONABLY IMPLIED FOR THE PROJECT.

#### **GENERAL CONDITIONS:**

- VISIT THE JOB SITE TO VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO BEGINNING ANY WORK. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING THE WORK.
- QUESTIONABLE ITEMS, INCLUDING BUT NOT LIMITED TO FOUND / UNKNOWN CONDITIONS AND ITEMS NOT SHOWN / LISTED IN THE CONTRACT DOCUMENTS, SHALL BE COORDINATED WITH THE ARCHITECT BEFORE REMOVING.

#### **DEMOTION PLAN GENERAL NOTES:**

OWNER HAS FIRST RIGHT OF REFUSAL.



BID SET

STAMP:

CLIENT:
MACON-BIBB COUNTY
700 POPULAR ST



## **Passero Associates**

STAN PRICE, PE CHRISTOPHER NARDONE, AIA

STEPHANIE ROBERTS, ASSOC. AIA

KATIE KMIECIK, ASSOC. AIA

4730 CASA COLA WAY, SUITE 200 ST. AUGUSTINE, FL 32095

PROJECT MANAGER PROJECT ARCHITECT DESIGNER DESIGNER

NO. DATE BY DESCRIPTION

UNAUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION OF FLORIDA ADMINISTRATIVE CODE 61G15-27-001 AND FLORIDA STATUTES 471.033(1). THESE PLANS ARE COPYRIGHT PROTECTED. ©

SECOND FLOOR
DEMOLITION PLAN FBO BUILDING
2178 FLIGHTLINE AVE

MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION

STATE: GA


TOWN/CITY: MACON

COUNTY: BIBB

20202946.0010

NO.:

AD-102



**27** 

23

**25** 

24

26



BID SET

AMP:

CLIENT:
MACON-BIBB COUNTY
700 POPULAR ST
MACON, GA 31201



## Passero Associates

4730 CASA COLA WAY, SUITE 200
ST. AUGUSTINE, FL 32095

PROJECT MANAGER
PROJECT ARCHITECT
DESIGNER
DESIGNER
CHRISTOPHER NARDONE, AIA
KATIE KMIECIK, ASSOC. AIA
STEPHANIE ROBERTS, ASSOC. AIA
NO. DATE BY DESCRIPTION

UNAUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION OF FLORIDA ADMINISTRATIVE CODE 61G15-27-001 AND FLORIDA STATUTES 471.033(1). THESE PLANS ARE COPYRIGHT PROTECTED.  $\circledcirc$ 

PHOTOS - FBO BUILDING

## 2178 FLIGHTLINE AVE

MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION

TOWN/CITY: MACON

COUNTY: BIBB STATE: GA

20202946.0010

AD-104

710 101

30



















**BID SET** 

CLIENT: MACON-BIBB COUNTY 700 POPULAR ST MACON, GA 31201



Passero			Associates
	30 CASA COLA AUGUSTINE, I		
PRO DES	DJECT MANAGE DJECT ARCHITI SIGNER SIGNER		STAN PRICE, P CHRISTOPHER NARDONE, AI, KATIE KMIECIK, ASSOC. AI, STEPHANIE ROBERTS, ASSOC. AI,
NO.	DATE	BY	DESCRIPTION

UNAUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION OF FLORIDA ADMINISTRATIVE CODE 61G15-27-001 AND FLORIDA STATUTES 471.033(1). THESE PLANS ARE COPYRIGHT PROTECTED. ©

PHOTOS - FBO BUILDING

## 2178 FLIGHTLINE AVE

MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION


TOWN/CITY: MACON


STATE: GA COUNTY: BIBB

20202946.0010


AD-105



















BID SET

AMP:

CLIENT:
MACON-BIBB COUNTY
700 POPULAR ST
MACON, GA 31201



## Passero Associates

4730 CASA COLA WAY, SUITE 200 (904) 757-6106
ST. AUGUSTINE, FL 32095

PROJECT MANAGER
PROJECT ARCHITECT
DESIGNER
DESIGNER
CHRISTOPHER NARDONE, AIA
KATIE KMIECIK, ASSOC. AIA
STEPHANIE ROBERTS, ASSOC. AIA

UNAUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION OF FLORIDA ADMINISTRATIVE CODE 61G15-27-001 AND FLORIDA STATUTES 471.033(1). THESE PLANS ARE COPYRIGHT PROTECTED. ©

PHOTOS - AVIANCE BUILDING

## 2178 FLIGHTLINE AVE


MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION

TOWN/CITY: MACON

COUNTY: BIBB


20202946.0010

AD-108



















PASSERO architecture engineering

BID SET

CLIENT: MACON-BIBB COUNTY 700 POPULAR ST MACON, GA 31201



## **Passero Associates**

4730 CASA COLA WAY, SUITE 200 (904) 757-6106 ST. AUGUSTINE, FL 32095 PROJECT MANAGER PROJECT ARCHITECT DESIGNER DESIGNER STAN PRICE, PE CHRISTOPHER NARDONE, AIA KATIE KMIECIK, ASSOC. AIA STEPHANIE ROBERTS, ASSOC. AIA DESCRIPTION

UNAUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION OF FLORIDA ADMINISTRATIVE CODE 61G15-27-001 AND FLORIDA STATUTES 471.033(1). THESE PLANS ARE COPYRIGHT PROTECTED. ©

## PHOTOS - AVIANCE BUILDING

## 2178 FLIGHTLINE AVE

MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DÉMOLITION

TOWN/CITY: MACON

COUNTY: BIBB

20202946.0010

AD-109

MARCH 1, 2024

STATE: GA

PHOTOS TAKEN ON OCTOBER 23, 2023




















39





### FENCE & GATE NOTES:

- 1. ALL FRAME MEMBERS SHALL BE HOT-DIPPED GALVANIZED STEEL MEETING THE REQUIREMENTS OF ASTM F-1083 WITH A 2 OZ/SF ZINC COATING.
- 2. ALL FABRIC SHALL BE WOVEN WITH A 9-GAUGE GALVANIZED STEEL WIRE IN A 2" MESH WITH 2 OZ/SF ZINC COATING IN ACCORDANCE WITH ASTM A 392, CLASS 2.
  3. PULL POSTS SHALL BE USED AT BREAKS IN VERTICAL GRADES OF 15° OR MORE, OR AT APPROXIMATELY 350' CENTER. CORNER POSTS ARE TO BE INSTALLED AT ALL HORIZONTAL BREAKS IN FENCE AT 15° OR MORE AND
- AS REQUIRED AT VERTICAL BREAKS OVER 15° AS DETERMINED BY THE ENGINEER.

  4. INSTALLING FABRIC: THE WIRE FABRIC SHALL BE FIRMLY ATTACHED TO THE POSTS AND BRACED IN THE MANNER SHOWN ON THE PLANS. ALL WIRE SHALL BE STRETCHED TAUT AND SHALL BE INSTALLED TO THE REQUIRED ELEVATIONS. THE FENCE SHALL GENERALLY FOLLOW THE CONTOUR OF THE GROUND, WITH THE BOTTOM OF THE FENCE FABRIC NO LESS THAN 1" OR MORE THAN 4" FROM THE GROUND SURFACE. GRADING SHALL BE PERFORMED WHERE NECESSARY. AT LOCATIONS OF SMALL NATURAL SWALES OR DRAINAGE DITCHES AND WHERE IT IS NOT PRACTICAL TO HAVE THE FENCE CONFORM TO THE GENERAL CONTOUR OF THE GROUND SURFACE, LONGER POSTS MAY BE USED AND MULTIPLE STRANDS OF BARBED WIRE STRETCHED THERON TO SPAN THE OPENING BELOW THE FENCE (SEE FENCE DITCH CROSSING DETAIL). THE VERTICAL
- CLEARANCE BETWEEN STRANDS OF BARBED WIRE SHALL BE 6 INCHES OR LESS.

  5. AT THE CONTRACTOR'S OPTION, CONCRETE POST FOUNDATIONS MAY BE SET WITH OUTSIDE EDGE FLUSH WITH FINISHED GROUND; & CROWNED TO DRAIN.
- 6. THE CONTRACTOR SHALL PROVIDE AND INSTALL ALL MISCELLANEOUS HARDWARE AND FITTINGS REQUIRED TO PROVIDE A COMPLETE FENCE, EVEN IF NOT SPECIFICALLY IDENTIFIED IN THE PLANS OR SPECIFICATIONS.
  7. THE PROPOSED FENCE ASSEMBLIES SHALL BE APPROVED THROUGH THE SHOP DRAWING REVIEW PROCESS PRIOR TO FABRICATION.

PASSERO architecture engineering

**BID SET** 

STAMP:

CLIENT:
MACON-BIBB COUNTY
700 POPULAR ST
MACON, GA 31201



## <u>Passero Associates</u>

4730 CASA COLA WAY, SUITE 200 (904) 757-6106
ST. AUGUSTINE, FL 32095

PROJECT MANAGER
PROJECT ARCHITECT
DESIGNER
DESIGNER
STAN PRICE, PE
CHRISTOPHER NARDONE, AIA
KATIE KMIECIK, ASSOC. AIA
STEPHANIE ROBERTS, ASSOC. AIA

NO. DATE BY DESCRIPTION

UNAUTHORIZED USE OF THESE DRAWINGS IS IN VIOLATION OF FLORIDA ADMINISTRATIVE CODE 61G15-27-001 AND FLORIDA STATUTES 471.033(1). THESE PLANS ARE COPYRIGHT

## SECURITY FENCING

## 2178 FLIGHTLINE AVE

MIDDLE GEORGIA REGIONAL AIRPORT (MCN) BUILDINGS AND SITE DEMOLITION

TOWN/CITY: MACON

BIBB S

20202946.0010

C-100